

LION WHOLESALE REPORTS

FIELD AND PARAMETER MAPPINGS IN CSV DATA EXTRACTS

In addition to the default PDF format, every wholesale report in LION can be downloaded in CSV format. This offers the ability to further analyze the information using spreadsheets and business intelligence software.

This document describes the CSV data extracts in terms of:

- Grain. Level of aggregation contained in each row of the dataset.
- Report fields. Meaning of each column in the dataset.
- Report parameters. Meaning of each report parameter. When the user runs the report, a number of parameters are passed to the LION system so that relevant records can be returned. These parameters are also included as columns in the CSV data extract. The system will repeat the same value in each row. When no values are provided for a parameter, the corresponding column is left blank.

REPORT: SALES HISTORY

CSV FILE GRAIN

One row per item, per day, per sales channel.

REPORT FIELDS

CSV File Column Name	Description
product_categ_descr	Product Category.
item_num	SLGA Wholesale Item Number.
default_upc	Default UPC (Universal Product Code).
item_descr	Item Description.
category_type_descr	Product Category Type.
alcohol	Alcohol by Volume.
product_type_descr	Product Listing Type. Examples of values are: Core, Conditional, Allocation, Special Order, etc.
package_type_descr	Package Type. Examples of values are: Bottle, PET, Can, Keg, etc.
size	Selling unit size in ml.
country_origin_descr	Country of Origin / Production.
wine_varietal_descr	Wine Varietal, if applicable.
YearMonth	6-digit number indicating Year-Month pair in the form “yyyymm”.
shipped_date	Shipment Date.
sales_channel	Sales Channel. Possible values are: SLGA Retail, Private Retail Store, Commercial Permittee, Other.

sales	Sales amount expressed in the measure selected by the user when running the report (9L Case Volume, Hectolitres, Units or Actual Cases).
--------------	--

REPORT PARAMETERS

CSV File Column Name	Description
parm_usr_nm	Name of the user that ran the report.
parm_measure_type	Measure parameter selected by the user when running the report. The default value is "9L Case Volume" but it can be changed to: "Hectolitres", "Units" or "Actual Cases".
parm_product_category	Comma-separated list of product categories selected by the user when running the report.
parm_product_id	Comma-separated list of item numbers passed by the user when running the report.
parm_upc	Comma-separated list of UPCs (Universal Product Codes) passed by the user when running the report.
parm_alcohol_min	Minimum ABV (Alcohol by Volume) to be returned.
parm_alcohol_max	Maximum ABV (Alcohol by Volume) to be returned.
parm_pack_format	Comma-separated list of pack formats selected by the user when running the report.
parm_size	Selling unit size in ml.
parm_country_of_origin	Comma-separated list of countries of origin selected by the user when running the report.
parm_wine_varietal	Comma-separated list of wine varietals selected by the user when running the report.
parm_product_categ_type	Comma-separated list of category types selected by the user when running the report.
parm_product_type	Comma-separated list of product types (also called <i>listing types</i>) selected by the user when running the report. Examples of values are: Core, Conditional, Allocation, and Special Order.
parm_shipment_start_date	Minimum shipment date considered in the report.
parm_shipment_end_date	Maximum shipment date considered in the report.
parm_agent_id	Comma-separated list of agency IDs passed by the user when running the report.
parm_vendor_num	Comma-separated list of vendor IDs passed by the user when running the report.

REPORT: COMPARATIVE SALES/RANKINGS

CSV FILE GRAIN

One row per item, per day.

REPORT FIELDS

CSV File Column Name	Description
product_categ_descr	Product Category.
item_num	SLGA Wholesale Item Number.
default_upc	Default UPC (Universal Product Code).
item_descr	Item Description.
category_type_descr	Product Category Type.
alcohol	Alcohol by Volume.
product_type_descr	Product Listing Type. Examples of values are: Core, Conditional, Allocation, Special Order, etc.
package_type_descr	Package Type. Examples of values are: Bottle, PET, Can, Keg, etc.
size	Selling unit size in ml.
country_origin_descr	Country of Origin / Production.
wine_varietal_descr	Wine Varietal, if applicable.
YearMonth	6-digit number indicating Year-Month pair in the form “yyyymm”.
shipped_date	Shipment Date.
overall_Rank	Ranking out of all SKUs in province based on the measure selected by the user when running the report (9L Case Volume, Hectolitres, Units or Actual Cases).
categ_Rank	Ranking out of SKUs within the respective category based on the measure selected by the user when running the report (9L Case Volume, Hectolitres, Units or Actual Cases).
curr_year_sales	Current year’s shipments from user-selected start and end dates.
prev_year_sales	Previous year’s shipments cases from user-selected start and end dates.

REPORT PARAMETERS

CSV File Column Name	Description
parm_usr_nm	Name of the user that ran the report.
parm_measure_type	Measure parameter selected by the user when running the report. The default value is “9L Case Volume” but it can be changed to: “Hectolitres”, “Units” or “Actual Cases”.
parm_product_category	Comma-separated list of product categories selected by the user when running the report.
parm_product_id	Comma-separated list of item numbers passed by the user when running the report.
parm_upc	Comma-separated list of UPCs (Universal Product Codes) passed by the user when running the report.
parm_alcohol_min	Minimum ABV (Alcohol by Volume) to be returned.
parm_alcohol_max	Maximum ABV (Alcohol by Volume) to be returned.

parm_pack_format	Comma-separated list of pack formats selected by the user when running the report.
parm_size	Selling unit size in ml.
parm_country_of_origin	Comma-separated list of countries of origin selected by the user when running the report.
parm_wine_varietal	Comma-separated list of wine varietals selected by the user when running the report.
parm_product_categ_type	Comma-separated list of category types selected by the user when running the report.
parm_product_type	Comma-separated list of product types (also called <i>listing types</i>) selected by the user when running the report. Examples of values are: Core, Conditional, Allocation, and Special Order.
parm_shipment_start_date	Minimum shipment date considered in the report.
parm_shipment_end_date	Maximum shipment date considered in the report.
parm_agent_id	Comma-separated list of agency IDs passed by the user when running the report.
parm_top	User-defined limit on products displayed based on overall hierarchical ranking. If no value is specified, the report retrieves all products by default.
parm_vendor_num	Comma-separated list of vendor IDs passed by the user when running the report.

REPORT: SALES TO RSP

CSV FILE GRAIN

One row per item, per customer.

REPORT FIELDS

Mapping between columns in the CSV files and report fields:

CSV File Column Name	Description
product_categ_descr	Product Category.
item_num	SLGA Wholesale Item Number.
default_upc	Default UPC (Universal Product Code).
item_descr	Item Description.
category_type_descr	Product Category Type.
package_type_descr	Package Type. Examples of values are: Bottle, PET, Can, Keg, etc.
size	Selling unit size in ml.
wine_varietal_descr	Wine Varietal, if applicable.
units_per_case	Number of selling units per case.

rsp_number	RSP identification number.
rsp_name	RSP name.
cases_ordered	Actual cases ordered to store.
cases_shipped	Actual cases shipped to store.
ordered	User-selected measures (9L Case Volume, Hectolitres, Units or Actual Cases) ordered to store.
shipped	User-selected measures (9L Case Volume, Hectolitres, Units or Actual Cases) shipped to store.
other_rsp_order_count	Total number of undisclosed RSPs that placed orders in the selected period.
other_rsp_ship_count	Total number of undisclosed RSPs that received shipments in the selected period.

REPORT PARAMETERS

CSV File Column Name	Description
parm_usr_nm	Name of the user that ran the report.
parm_measure_type	Measure parameter selected by the user when running the report. The default value is "9L Case Volume" but it can be changed to: "Hectolitres", "Units" or "Actual Cases".
parm_product_category	Comma-separated list of product categories selected by the user when running the report.
parm_product_id	Comma-separated list of item numbers passed by the user when running the report.
parm_upc	Comma-separated list of UPCs (Universal Product Codes) passed by the user when running the report.
parm_alcohol_min	Minimum ABV (Alcohol by Volume) to be returned.
parm_alcohol_max	Maximum ABV (Alcohol by Volume) to be returned.
parm_pack_format	Comma-separated list of pack formats selected by the user when running the report.
parm_size	Selling unit size in ml.
parm_country_of_origin	Comma-separated list of countries of origin selected by the user when running the report.
parm_wine_varietal	Comma-separated list of wine varietals selected by the user when running the report.
parm_product_categ_type	Comma-separated list of category types selected by the user when running the report.
parm_product_type	Comma-separated list of product types (also called <i>listing types</i>) selected by the user when running the report. Examples of values are: Core, Conditional, Allocation, and Special Order.
parm_shipment_start_date	Minimum shipment date considered in the report.
parm_shipment_end_date	Maximum shipment date considered in the report.

parm_agent_id	Comma-separated list of agency IDs passed by the user when running the report.
parm_vendor_num	Comma-separated list of vendor IDs passed by the user when running the report.

REPORT: PRICE REPORT

CSV FILE GRAIN

One row per item, per pricing effective date.

REPORT FIELDS

CSV File Column Name	Description
product_catg_descr	Product Category.
item_num	SLGA Wholesale Item Number.
default_upc	Default UPC (Universal Product Code).
item_descr	Item Description.
category_type_descr	Product Category Type.
alcohol	Alcohol by Volume.
product_type_descr	Product Listing Type. Examples of values are: Core, Conditional, Allocation, Special Order, etc.
package_type_descr	Package Type. Examples of values are: Bottle, PET, Can, Keg, etc.
size	Selling unit size in ml.
units_per_case	Number of selling units per case.
country_origin_descr	Country of Origin / Production.
wine_varietal_descr	Wine Varietal, if applicable.
effective_date	Date on which price came into effect.
wholesale_base_price	Wholesale base price.
gst	Goods and services tax.
refund_deposit	Refundable container deposit.
total	Total price paid by RSP per selling unit.
expiry_date	Date on which the price is set to expire.
wpp	Indicates whether or not a product has an active WPP.

REPORT PARAMETERS

CSV File Column Name	Description
parm_usr_nm	Name of the user that ran the report.

parm_product_category	Comma-separated list of product categories selected by the user when running the report.
parm_product_id	Comma-separated list of item numbers passed by the user when running the report.
parm_upc	Comma-separated list of UPCs (Universal Product Codes) passed by the user when running the report.
parm_alcohol_min	Minimum ABV (Alcohol by Volume) to be returned.
parm_alcohol_max	Maximum ABV (Alcohol by Volume) to be returned.
parm_pack_format	Comma-separated list of pack formats selected by the user when running the report.
parm_size	Selling unit size in ml.
parm_country_of_origin	Comma-separated list of countries of origin selected by the user when running the report.
parm_wine_varietal	Comma-separated list of wine varietals selected by the user when running the report.
parm_product_categ_type	Comma-separated list of category types selected by the user when running the report.
parm_product_type	Comma-separated list of product types (also called <i>listing types</i>) selected by the user when running the report. Examples of values are: Core, Conditional, Allocation, and Special Order.
parm_start_date	Minimum date considered in the report.
parm_end_date	Maximum date considered in the report.
parm_agent_id	Comma-separated list of agency IDs passed by the user when running the report.
parm_vendor_num	Comma-separated list of vendor IDs passed by the user when running the report.

REPORT: WHOLESALE PRICE PROMOTIONS

CSV FILE GRAIN

One row per item, per promotion start date.

REPORT FIELDS

CSV File Column Name	Description
product_categ_descr	Product Category.
item_num	SLGA Wholesale Item Number.
default_upc	Default UPC (Universal Product Code).
item_descr	Item Description.
package_type_descr	Package Type. Examples of values are: Bottle, PET, Can, Keg, etc.

size	Selling unit size in ml.
units_per_case	Number of selling units per case.
start_date	Start date of WPP.
end_date	End date of WPP.
wholesale_price	Wholesale Base Price before WPP is applied to each selling unit.
wpp_price	Wholesale Base Price after WPP is applied to each selling unit.
price_discount	Amount of WBP discounted per selling unit.
pct_price_discount	Percent of WBP discounted.

REPORT PARAMETERS

CSV File Column Name	Description
parm_usr_nm	Name of the user that ran the report.
parm_product_category	Comma-separated list of product categories selected by the user when running the report.
parm_product_id	Comma-separated list of item numbers passed by the user when running the report.
parm_upc	Comma-separated list of UPCs (Universal Product Codes) passed by the user when running the report.
parm_alcohol_min	Minimum ABV (Alcohol by Volume) to be returned.
parm_alcohol_max	Maximum ABV (Alcohol by Volume) to be returned.
parm_pack_format	Comma-separated list of pack formats selected by the user when running the report.
parm_size	Selling unit size in ml.
parm_country_of_origin	Comma-separated list of countries of origin selected by the user when running the report.
parm_wine_varietal	Comma-separated list of wine varietals selected by the user when running the report.
parm_product_catg_type	Comma-separated list of category types selected by the user when running the report.
parm_product_type	Comma-separated list of product types (also called <i>listing types</i>) selected by the user when running the report. Examples of values are: Core, Conditional, Allocation, and Special Order.
parm_start_date	Minimum date considered in the report.
parm_end_date	Maximum date considered in the report.
parm_agent_id	Comma-separated list of agency IDs passed by the user when running the report.
parm_vendor_num	Comma-separated list of vendor IDs passed by the user when running the report.

REPORT: ON-HAND INVENTORY

CSV FILE GRAIN

One row per item.

REPORT FIELDS

Mapping between columns in the CSV files and report fields:

CSV File Column Name	Description
product_catg_descr	Product Category.
item_num	SLGA Wholesale Item Number.
default_upc	Default UPC (Universal Product Code).
item_descr	Item Description.
Size	Selling unit size in ml.
units_per_case	Number of selling units per case.
avail_cases	Actual cases available in the DC.
on_hold_cases	Actual cases unavailable in the DC (customs hold, warehouse holds).
to_be_shipped_cases	Actual cases to be shipped from DC.
on_po_total_cases	Actual cases yet to arrive to DC.
first_po_eta	Estimated arrival date of oldest unfulfilled purchase order.
first_po_cases	Actual number of cases arriving in oldest unfulfilled purchase order.
shipped_2_weeks	Cases shipped in previous 2 weeks from last inventory date.
shipped_4_weeks	Cases shipped in previous 4 weeks from last inventory date.
last_inventory_date	Date of last inventory update.

REPORT PARAMETERS

CSV File Column Name	Description
parm_usr_nm	Name of the user that ran the report.
parm_product_category	Comma-separated list of product categories selected by the user when running the report.
parm_product_id	Comma-separated list of item numbers passed by the user when running the report.
parm_upc	Comma-separated list of UPCs (Universal Product Codes) passed by the user when running the report.
parm_product_catg_type	Comma-separated list of category types selected by the user when running the report.
parm_country_of_origin	Comma-separated list of countries of origin selected by the user when running the report.

parm_agent_id	Comma-separated list of agency IDs passed by the user when running the report.
parm_vendor_num	Comma-separated list of vendor IDs passed by the user when running the report.

REPORT: PO HISTORY

CSV FILE GRAIN

One row per purchase order line.

REPORT FIELDS

CSV File Column Name	Description
po_num	Purchase Order Number.
supplier	Supplier Name.
fob	Product source point (see consolidation point).
po_status	Purchase order status (Printed or Finished).
po_date	Purchase order creation date.
eta_destination	Estimated date of arrival for purchase order.
receipt_date	Actual date of arrival for purchase order.
vendor_ship_date	Actual date of departure from product source point.
item_num	SLGA Wholesale Item Number.
default_upc	Default UPC (Universal Product Code).
item_descr	Item Description.
Size	Selling unit size in ml.
units_per_case	Number of selling units per case.
case_price	Vendor quote per case.
cases_ordered	Number of cases on purchase order.
received_qty	Number of cases received.
currency	Type of currency.

REPORT PARAMETERS

CSV File Column Name	Description
parm_usr_nm	Name of the user that ran the report.
parm_product_category	Comma-separated list of product categories selected by the user when running the report.
parm_product_id	Comma-separated list of item numbers passed by the user when running the report.

parm_upc	Comma-separated list of UPCs (Universal Product Codes) passed by the user when running the report.
parm_product_categ_type	Comma-separated list of category types selected by the user when running the report.
parm_country_of_origin	Comma-separated list of countries of origin selected by the user when running the report.
parm_start_date	Minimum date considered in the report.
parm_end_date	Maximum date considered in the report.
parm_agent_id	Comma-separated list of agency IDs passed by the user when running the report.
parm_consolidation_point	Product source point
parm_po_number	Comma-separated list of purchase order numbers passed by users when running the report.
parm_vendor_num	Comma-separated list of vendor IDs passed by the user when running the report.